



SICCO Vacuum 1-Desiccator

Panels:	Material:	Temperature resistance:	Use:	Stand:
clear	PMMA	-20 °C to +70 °C	Vacuum up to 10 ⁻⁴ Torr	rubber feet

Specification:

Solid walls of 20 mm thickness, circular silicone gasket, vacuum gauge, two needle valves with connectors.

Cat. No.:	V 1880-04
Overall dimensions* W x H x D mm	300 x 340 x 300
Excess length of valves + vacuum gauge mm	100
Usable interior space W x H x D mm	260 x 260 x 260
Usable volume liters	17,5
Total volume liters	17,5
Number of shelves	including 2 shelves; usable with max. 3 shelves
Weight kg	15
Maximum all-over load kg	9
Total all-over load kg	30



BESTSELLER



Add. accessories

Pages 58–62.

*Overall dimensions are indicated as follows: height, width and depth without attached parts.

SICCO Vacuum 2-Desiccator

Panels:	Material:	Temperature resistance:	Use:	Stand:
clear	PMMA	-20 °C to +70 °C	Vacuum up to 10^{-4} Torr	rubber feet

Specification:

Solid walls of 20 mm thickness, circular silicone gasket, vacuum gauge, two needle valves with connectors.

Cat. No.:	V 1880-08
Overall dimensions* W x H x D mm	300 x 440 x 300
Excess length of valves + vacuum gauge mm	100
Usable interior space W x H x D mm	260 x 360 x 260
Usable volume liters	24,5
Total volume liters	24,5
Number of shelves	including 3 shelves; usable with max. 5 shelves
Weight kg	18
Maximum all-over load kg	9
Total all-over load kg	40



SICCO
Practical Tip

Andreas Bruder » Final quality control

How do you clean the panels correctly?

With a soft cloth and a usual glass cleaner. Do not use solvent containing cleaner with alcohol.

page 64

SICCO Vacuum 3-Desiccator

Panels:	Material:	Temperature resistance:	Use:	Stand:
clear	PMMA	-20 °C to +70 °C	Vacuum up to 10 ⁻⁴ Torr	rubber feet

Specification:

Solid walls of 25 mm thickness, circular silicone gasket, vacuum gauge, two needle valves with connectors.

Cat. No.:	V 1880-12
Overall dimensions* W x H x D mm	315 x 550 x 310
Excess length of valves + vacuum gauge mm	100
Usable interior space W x H x D mm	265 x 460 x 260
Usable volume liters	31,5
Total volume liters	31,5
Number of shelves	including 4 shelves; usable with max. 7 shelves
Weight kg	27
Maximum all-over load kg	9
Total all-over load kg	50



*Overall dimensions are indicated as follows: height, width and depth without attached parts.